Gastroenterology Referral Form

Fax completed form to: 833-908-1122



		PATIENT	TINFORMATION		
Patient Name:		Date of Birth:		Referral Date:	
Address:			City/State/	Zip:	
Home Phone:		Cell Phone:		Work Phone:	
Secondary Contact:		Height:	Weight:	Male Female	
Patient Diagnosis & ICD-	-10:				
Allergies:					
PROVIDER INFORMATION					
Physician Name:		Lic.#:	DEA #:		
Practice Name:			NPI#:		
Address:			City/State/Zip:		
Office Contact:		Phone: Fax:			
Supervisory Physician (if applicable):					
PLEASE ATTACH					
Patient demographics & front/back copy of all insurance cards (prescription & medical) Recent office visit notes, history & physical, lab & pertinent procedure results Current medication list & list of prior medications tried and failed (with dates) Line access documentation/verification if applicable Vaccine status (any vaccination) and documentation of any recent vaccinations TB lab results within last 12 months HBV lab results within last 12 months (Hfliximabs only) Liver enzymes lab results (Skyrizi only) Bilirubin levels (Skyrizi only) Letter of medical necessity if drug dosing or indication is outside of FDA guidelin					s
NURSING & LAB ORDERS					
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders. Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - 10units/mLOR 10units/mL -3-5mL flush after post-infusion NS flush if indicated to maintain line					
Lab Orders: Lab Date & Frequency:					
PRESCRIPTION ORDERS					
Anaphylaxis Kit: (Check all that apply)	Epinephrine 0.3 mg IM as needed Solu-cortef 250 mg-500 mg IV as needed Solu-Medrol 60 mg - 1250 Diphenhydramine mg IV as needed NS Hydration 500 ml IV over 30 minutes as needed Other				25mg IV as needed
Pre-Medications: Acetaminophenmg POminutes prior to infusion Solu-Medrolmg IVminutes prior to infusion					
(Check all that apply) Diphenhydramine mg POOR IVminutes prior to infusion Other					
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary					
PRODUCT		PRESCRIPTI	ON INFORMATION		REFILLS
Is this a first dose?	No If No, when was last dose given?		When is patient due for next dose?		
ENTYVIO	Induction: 300mg IV infusion via gr	ravity OR pump	over 30 minutes at week 0, 2, and 6		NONE
	Maintenance: 300mg IV infusion via gravity OR pump over 30 minutes every weeks				
INFLIXIMAB	Induction:mg/kg or	mg IV infusion via		2 hours at weeks 0, 2, and 6	NONE
Avsola	Maintenance:mg/kg	mgIV infusion via	gravity OR pump over at least 2		
Inflectra	(Note: Round to nearest 100mg for Medicaid patients)				
Remicade					
Renflexis	If Remicade infusion tolerated, adjust infusion time according to manufacturer package insert.				
SKYRIZI	,	, , ,	over one hour at week 0, 4, and 8		NONE
	Maintenance: 360mg SC injection at Week 12, and every 8 weeks thereafter				
	Induction (Adult Dosing -Based on body	• .			
STELARA	For patients 55kg or less administer 260mg IV infusion via gravity OR pump over at least 1 hour x 1 dose				
	For patients more than 55kg to 85kg administer 390mg IV infusion via gravityOR pump over at least 1 hour x 1 dose				NONE
	For patients more than 85kg administer 520mg IV infusion via gravity OR pump over at least 1 hour x 1 dose				INUNE
	Maintenance: 90mg SubQ injection	weeks after ind	uction and every weeks therea	fter	
					NONE
OTHER					·
By signing this form and utilizing our services, you are authorizing Amerita to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.					

Prescriber's Signature Print Name Date Prescriber's Signature Print Name

<u>Dispense as Written</u> <u>Substitution Permitted</u>





Date

