Multiple Sclerosis Referral Form

Fax completed form to:





PATIENT INFORMATION								
Patient Name:	Date of Birth:			Referral Date:				
Address:				City/State/Zip:				
Home Phone:		Cell Phone:			Work Phon	e:		
Secondary Contact:		Height:	Weight:		Male	Female		
Patient Diagnosis & ICD	-10:							
Allergies:								
		PROVIDE	R INFORMATIO	N				
Physician Name:		Lic.#:		DEA #:				
Practice Name:				NPI#:				
Address:					City/State/Zip:			
Office Contact: Phone: Fax:								
Supervisory Physician (if applicable):								
MS CLINICAL DETAILS								
Type of MS: Primary progressive multiple sclerosis (PPMS)OR Relapsing multiple sclerosis (RMS) Ambulation status: Able to ambulate more than 5 meters Able to ambulate without aid or rest for at least 100 meters								
Relapse details: Two or more relapses within the previous two years One relapse within the previous year								
		PLEA	SE ATTACH				<u> </u>	
Patient demographics & front/back copy of all insurance cards (prescription & medical) Quantitative serum Immunoglobulin lab results (Ocrevus only)								
Recent office visit notes, history & physical, lab & pertinent procedure results Vaccine status (any vaccination) and documentation of any recent vaccinations								
Current medication list & list of prior medications tried and failed (with dates) HBV lab results within last 12 months (<i>Ocrevus only</i>)								
Line access documentation/verification if applicable Letter of medical necessity if drug dosing or indication is outside of FDA guideline								
NURSING & LAB ORDERS								
Nurse Orders: Nurse to	a provide accomment toaching lab draws me							
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion.								
Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - 10units/mLOR 10u units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line								
Lab Orders:			Lab Date & Frequency:					
			PTION ORDERS					
Anaphylaxis Kit: Epinephrine 0.3mg IM as needed (Check all that apply) Diphenhydramine mg IV infusion as needed (Solu-cortef 250mg-500mg IV infusion as needed (Solu-Medrol 60mg - 125mg IV infusion as needed (Solu-Med								
Pre-Medications: Acetaminophenmg POminutes prior to infusion Solu-Medrolmg IV infusionminutes prior to infusion								
(Check all that apply) Diphenhydraminemg POOR IV infusionminutes prior to infusion Other								
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary								
PRODUCT		PRESCRIP	TION INFORMA	TION			REFILLS	
Is this a first dose?	Yes No If No, when was last dose given	?V	When is patient due for next	dose?				
OCREVUS	Induction: 300mg IV infusion over at least 2.5 hours followed 2 weeks later by 300mg IV infusion over at least 2.5 hours						NONE	
	Maintenance: 600mg IV infusion over 3.5 hours every 6 months (if no prior serious infusion reactions, may administer over at least 2 hours)							
	Post Infusion: Sodium Chloride 0.9% 100ml administer IV to keep line open (KVO) for one hour following infusion							
	(Per PI, Corticosteroid and antihistamine required for pre-medication, refer to section above)							
	300mg IV infusion over one hour every 4 weeks						NONE	
TYSABRI	Post Infusion: Sodium Chloride 0.9% 100ml administer IV to keep line open (KVO) for one hour following infusion							
	Fost illusion. Socialii Cilonae 0.370 1001							
IG	For Immunoglobulin therapy please refer to Immunoglobulin Form							
LEMTRADA	For Lemtrada therapy please refer to Lem	trada Form						
OTHER								
By signing this form an	d utilizing our services, you are authorizing	EventusRx to serve as you	ur prior authorization desi	gnated agent i	in dealing w	ith medical and prescription	n insurance companies.	



Date

Prescriber's Signature

Print Name

Prescriber's Signature

Substitution Permitted

Print Name

Date