## **Allergy/Immunology** Referral Form





## **Fax Completed Form To:**

**Phone:** 

PATIENT INFORMATION						
Patient Name:	Date of Birth:			Referral Date:		
Address:	City/State/Zip:					
Home Phone:		Cell Phone:			Work Phone:	
Secondary Contact:		Height:	Weight:		☐ Male ☐ Female	
Patient Diagnosis & ICD	-10:					
Allergies:						
PROVIDER INFORMATION						
Physician Name:	Lic.#: DEA #:					
Practice Name:				NPI#:		
Address:				City/State/Zip:		
Office Contact:	Phone: Fax:					
Supervisory Physician (if applicable):						
PLEASE ATTACH						
☐ Patient demographics & front/back copy of all insurance cards (prescription & medical) ☐ Recent office visit notes, history & physical, lab & pertinent procedure results ☐ Current medication list & list of prior medications tried and failed (with dates) ☐ IGE levels (XOLAIR only) ☐ Letter of medical necessity if drug dosing or indication is outside of FDA guideling						nes
NURSING & LAB ORDERS						
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders.						
Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - 10units/mLOR 1100units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line						
Lab Orders:						
Lab Date & Frequency:						
PRESCRIPTION ORDERS						
Anaphylaxis Kit: ☐ Epinephrine 0.3mg IM as needed ☐ Solu-cortef 250mg-500mg IV as needed ☐ Solu-Medrol 60mg - 125mg IV as needed						
(Check all that apply)						
Pre-Medications:   Acetaminophenmg P0minutes prior to infusion						
(Check all that apply)						
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary						
PRODUCT PRESCRIPTION INFORMATION						REFILLS
Is this a first dose?						
· • • • • • • • • • • • • • • • • • • •						
☐ CINQAIR	3mg/kg IV infusion via ☐ gravityOR ☐ pump once every 4 weeks over 20-50 minutes					
	☐ Induction: 30mg SubQ injection every 4 weeks for the first 3 doses					NONE
☐ FASENRA						NONE
	☐ Maintenance: 30mg SubQ injection once every 8 weeks					
□ NUCALA	☐ 100mg SubQ injection every 4 weeks					
	☐ 300mg SubQ injection every 4 weeks					
□ XOLAIR	mg SubQ injection every	weeks				
□ IG	For Immunoglobulin therapy please refer to IG Order Form					
□ OTHER						
By signing this form and utilizing our services, you are authorizing Amerita, Inc. to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.						
Prescriber's Signature Dispense as Written	Print Name	Date	Prescriber's Signa Substitution Perr		Print Name	Date



