Multiple Sclerosis Referral Form





Fax Completed Form To:

Phone:

		DATIE	NT INFORMATION			
Patient Name:		Date of Birth:	INT INFORMATION	Referral D	ate·	
Address:	City/State/Zip:					
Home Phone:		Cell Phone:		Work Pho	ne.	
Secondary Contact:		Height:	Weight:	Male	Female	-
Patient Diagnosis & ICD)-10:			, mare	. c.mare	
Allergies:						
, J		PROVII	DER INFORMATIO	N		
Physician Name:		Lic.#:		DEA #:		
Practice Name:				NPI#:		
Address:	City/State/Zip:					
Office Contact:	Phone: Fax:					
Supervisory Physician (if applicable):						
MS CLINICAL DETAILS						
Type of MS: Primary progressive multiple sclerosis (PPMS) OR Relapsing multiple sclerosis (RMS)						
Ambulation status: Able to ambulate more than 5 meters Able to ambulate without aid or rest for at least 100 meters						
Relapse details: Two or more relapses within the previous two years One relapse within the previous year						
PLEASE ATTACH						
Patient demographics & front/back copy of all insurance cards (prescription & medical) Quantitative serum Immunoglobulin lab results (Ocrevus only) Notice that the form of the property of						
Recent office visit notes, history & physical, lab & pertinent procedure results Vaccine status (any vaccination) and documentation of any recent vaccinations						
Current medication list & list of prior medications tried and failed (with dates) HBV lab results within last 12 months (<i>Ocrevus only</i>)						
Line access documentation/verification if applicable Letter of medical necessity if drug dosing or indication is outside of FDA guideline						
NURSING & LAB ORDERS						
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders.						
Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - 10units/mLOR 100units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line						
Lab Orders: Lab Date & Frequency:						
		PRESC	CRIPTION ORDERS			
Anaphylaxis Kit:	Epinephrine 0.3mg IM as needed Solu-cortef 250mg-500mg IV infusion as needed Solu-Medrol 60mg - 125mg IV infusion as needed					
(Check all that apply)	Diphenhydramine mg IV infusion as needed					
Pre-Medications:	Acetaminophenmg POminutes prior to infusion Solu-Medrolmg IV infusionminutes prior to infusion					
(Check all that apply)	Diphenhydraminemg PO OR IV infusionminutes prior to infusion Other					
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary						
	opiles for vascular access life care, drug ac			<u> </u>		1
PRODUCT		PRESCR	RIPTION INFORMA	TION		REFILLS
Is this a first dose?	Yes No If No, when was last dose of	given?	When is patient due for next of	dose?		
	Induction: 300mg IV infusion via	gravityOR pun	np over at least 2.5 hours followed	2 weeks later by 300mg IV	influsion over at least 2.5 hours	NONE
	Maintenance: 600mg IV infusion		·		usion reactions, may administer over	
OCREVUS	at least 2 hours)					
	Post Infusion: Sodium Chloride 0.9% 100ml administer IV to keep line open (KVO) for one hour following infusion					
	(Per PI, Corticosteroid and antihistamin		•	. .		
		<u>'</u>	· · ·			
TYSABRI	300mg IV infusion via gravity OF					NONE
TISADIII	Post Infusion: Sodium Chloride 0.9% 100ml administer IV to keep line open (KVO) for one hour following infusion					
IG	For Immunoglobulin therapy please refer to Immunoglobulin Form					
LEMTRADA	For Lemtrada therapy please refer to Lemtrada Form					
	Tor Ecinerada diciapy picase refer to	<u> </u>				
OTHER						
By signing this form and utilizing our services, you are authorizing Amerita, Inc. to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies						
			.	<u> </u>	· ·	•
Prescriber's Signature	Print Name	Date	Prescriber's Signa	ture P	rint Name Date	







Substitution Permitted

Dispense as Written