## Krystexxa® Order Form





Fax Completed Form To:

Phone:

PATIENT INFORMATION						
Patient Name:	Date of Birth:			Referral Date:		
Address:	City/State/Zip:					
Home Phone:		Cell Phone:		Work P	hone:	
Secondary Contact:		Height: Wei	ght:	🗆 Ma	le 🛛 Female	
Patient Diagnosis & ICD-10:						
Allergies:						
PROVIDER INFORMATION Physician Name: Lic.#: DEA #:						
Physician Name:		DEA #:				
Practice Name:				NPI#:		
Address:				City/State/Zip:		
Office Contact:	Phone:			Fax:		
Supervisory Physician (if applicable):						
PLEASE ATTACH						
Patient demographics & front/back copy of all insurance cards (prescription & medical)						
Recent office visit n	otes, history & physical, lab & pertinent proce		phenolate, leflunomide, azathioprine, or cyclosporine (Evidence supports the			
combination of Krystexxa and an immunomodulator in improving the pa						
G6PD deficiency results			therapy; consider adding an immunomodulator if clinically appropriate.)			
<ul> <li>Gorb dendency results</li> <li>Verification that patient has discontinued or plans to discontinue oral urate lowering medications</li> </ul>			<ul> <li>Baseline serum Uric Acid lab results</li> <li>Letter of medical necessity if drug dosing or indication is outside of FDA guidelines</li> </ul>			
					ig of indication is outside of the	
NURSING & LAB ORDERS						
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders.						
Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - 🗆 10units/mLOR 🔤 100units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line						
Lab Orders:						
Lab Date & Frequency:						
PRESCRIPTION ORDERS						
Anaphylaxis Kit: 🗆 Epinephrine 0.3mg IM as needed Solu-cortef 250mg-500mg IV infusion as needed Solu-Medrol 60mg - 125mg IV infusion as needed						
(Check all that apply) Diphenhydramine mg IV infusion as needed NS Hydration 500 ml IV infusion over 30 minutes as needed Other						
Pre-Medications: Per prescribing information: Pre-medications of antihistamine, corticosteroid and analgesic is recommended						
(Check all that apply) 🗆 Acetaminophenmg POminutes prior to infusion 🛛 Solu-Medrolmg IV infusionminutes prior to infusion						
□ Diphenhydramine mg □ P0 <b>OR</b> □ IV infusionminutes prior to infusion □ Other						
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary						
PRODUCT		PRESCRIPTION	<b>INFORMATIO</b>	N		REFILLS
Is this a first dose? Yes No If No, when was last dose given?When is patient due for next dose?						
	□ 8mg IV infusion via □ gravityOR	• 🗆 pump over at least 2 hours ev	very 2 weeks			
	After first infusion, patient to have sUA level performed within 48 hours prior to each infusion.					
□ Krystexxa	For KVO: NS 100mL via IV infusion over 1 hour.					
	For KVC: NS found via iv infusion over 1 nour. If sUA is $\leq 6mq/dL$ , proceed.					
	$ii sum is \ge 0iiig/uL, proceeu.$					
	If sUA is > 6mg/dL, <b>hold &amp; contact provider.</b>					
D OTHER						
By signing this form and utilizing our services, you are authorizing Amerita to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.						

Prescriber's Signature <u>Dispense as Written</u> Print Name

Date

Prescriber's Signature Substitution Permitted Print Name

Date

ACCREDITED



