LEMTRADA® Referral Form



Fax Completed Form To:

Phone:

		DATIEN	TINFORMATION						
Datiant Nagara		1	T INFORMATION		Defermel Deter				
Patient Name:	Date of Birth:			Referral Date:					
Address:			City/State/Zip:						
Home Phone: Secondary Contact:		Cell Phone: Height:	Weight:		Work Phone:				
Patient Diagnosis & ICD	10:	neight.	weight.						
Allergies:									
Allergies.		PROVID	ER INFORMATION						
Physician Name:		Lic.#:		DEA #:					
Practice Name:		Lican		NPI#:					
Address:				City/State/Zip:					
Office Contact:	Phone:			Fax:					
	ry Physician (if applicable):								
	<u> </u>	MS CL	INICAL DETAILS						
Type of MS: Prima	ry progressive multiple sclerosis (PPMS)OR								
	\Box Able to ambulate more than 5 meters \Box			ters					
	wo or more relapses within the previous two y								
	wo of more relapses within the previous two y								
Patient demograph	ics & front/back copy of all insurance cards (pr			um creatinine	levels, urinalysis with cell counts, urine protein to c	reatinine ratio			
		·	thyroid function tests	umereaumine	levels, unnarysis with cen counts, unne protein to c				
	tes, history & physical, lab & pertinent proced		Pregnancy test results (i	f applicable)					
Current medication	ist & list of prior medications tried and failed (with dates)	 regnate (est results (a applicable) Vaccine status (any vaccination) and documentation of any recent vaccinations 						
Line access documer	ntation/verification if applicable				ng or indication is outside of FDA guidelines				
		NURSIN	IG & LAB ORDERS						
	provide assessment, teaching, lab draws, me				anagament nor physician orders				
		needed <i>Heparin</i> - 🗀 1	0units/mL 0R Ll 100u	nits/mL - 3-5m	nL flush after post-infusion NS flush if indicated to n	naintain line			
Oxygen: Give 0 ₂ at 2L/I	N per nasal cannula as needed								
Lab Orders:			Lab Date & Frequency:						
		SUF	PPLY ORDERS	•					
Supply Orders: All sup	plies for vascular access line care, drug admini	stration kit(s), pump, and	IV pole will be provided as nee	cessary					
PRODUCT		PRESCR	IPTION INFORMA	TION		REFILLS			
Is this a first dose? \Box	Yes 🛛 No If No, when was last dose given	n?	_When is patient due for next	t dose?					
	Pre Meds: Hydroxyzine HCI 50mg po prior to start of infusion and every 6 hours prn #25								
□ Lemtrada) cells per microliter, whichever occurs later #60 Refill: #1					
	Cetirizine 10mg po prior to Lemtrada infusion			insetron 4mg po prn #25					
				e 20mg prior to start of alemtuzumab infusion					
	Acetaminophen 1000mg po prior to start of Lemtrada infusion and q6h prn Other:								
	Note – If needed, please send pain prescription to retail pharmacy								
	Pre Infusion: Solu-Medrol 1000mg IV infusion in 500mL of 0.9% NaCl over 1 hour prior to Lemtrada infusion on days 1, 2 and 3 only Normal saline 0.9% 500ml IV prior to Lemtrada infusion on days 4 and 5								
	□ Initial Course: 12mg/day IV infusion vi	•		secutive days					
				consecutive days *To start at least12 months after previous dose*					
				consecutive days to start at least 12 months after previous dose					
ANAPHYLAXIS / SIDE EFFECT ORDERS	Post Meds: Normal saline 0.9% 500mL IV infusion over 1 hour post Lemtrada infusion								
	Ondansetron 4-8mg in 50-100mL 0.9% NaCl IV infusion over 15 minutes prn nausea								
	Epinephrine 1:1000 0.5-1mL IVP prn angioedema/hypotension/branchospasm/generalized urticaria								
	□ Ketorolac: 30mg IVP over 3-5 minute								
	Diphenhydramine 50mg in 100mL of 0.9% NaCl IV over approx 15 mins prn pruitis/rash								
D OTHER									
By signing this form and utilizing our services, you are authorizing Amerita, Inc. to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.									

Prescriber's Signature	Print Name	Date	Prescriber's Signature	Print Name	Date	
Dispense as Written		Substitution Permitted	Substitution Permitted			

