

# LEMTRADA<sup>®</sup> Referral Form



Fax Completed Form To:

Phone:

PATIENT INFORMATION			
Patient Name:	Date of Birth:	Referral Date:	
Address:		City/State/Zip:	
Home Phone:	Cell Phone:	Work Phone:	
Secondary Contact:	Height:	Weight:	<input type="checkbox"/> Male <input type="checkbox"/> Female
Patient Diagnosis & ICD-10:			
Allergies:			

PROVIDER INFORMATION		
Physician Name:	Lic.#:	DEA #:
Practice Name:	NPI#:	
Address:		City/State/Zip:
Office Contact:	Phone:	Fax:
Supervisory Physician (if applicable):		

MS CLINICAL DETAILS
<b>Type of MS:</b> <input type="checkbox"/> Primary progressive multiple sclerosis (PPMS) ---OR--- <input type="checkbox"/> Relapsing multiple sclerosis (RMS)
<b>Ambulation status:</b> <input type="checkbox"/> Able to ambulate more than 5 meters <input type="checkbox"/> Able to ambulate without aid or rest for at least 100 meters
<b>Relapse details:</b> <input type="checkbox"/> Two or more relapses within the previous two years <input type="checkbox"/> One relapse within the previous year

PLEASE ATTACH	
<input type="checkbox"/> Patient demographics & front/back copy of all insurance cards (prescription & medical)	<input type="checkbox"/> CBC with differential, Serum creatinine levels, urinalysis with cell counts, urine protein to creatinine ratio thyroid function tests
<input type="checkbox"/> Recent office visit notes, history & physical, lab & pertinent procedure results	<input type="checkbox"/> Pregnancy test results (if applicable)
<input type="checkbox"/> Current medication list & list of prior medications tried and failed (with dates)	<input type="checkbox"/> Vaccine status (any vaccination) and documentation of any recent vaccinations
<input type="checkbox"/> Line access documentation/verification if applicable	<input type="checkbox"/> Letter of medical necessity if drug dosing or indication is outside of FDA guidelines

NURSING & LAB ORDERS
<b>Nurse Orders:</b> Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders.
<b>Flush Orders:</b> NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - <input type="checkbox"/> 10units/mL ---OR--- <input type="checkbox"/> 100units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line
<b>Oxygen:</b> Give O <sub>2</sub> at 2L/M per nasal cannula as needed
<b>Lab Orders:</b> <span style="float: right;"><b>Lab Date &amp; Frequency:</b></span>

SUPPLY ORDERS
<b>Supply Orders:</b> All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary

PRODUCT	PRESCRIPTION INFORMATION	REFILLS
Is this a first dose? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, when was last dose given? _____ When is patient due for next dose? _____		
<input type="checkbox"/> LEMTRADA	<input type="checkbox"/> <b>Pre Meds:</b> Hydroxyzine HCl 50mg po prior to start of infusion and every 6 hours prn #25 Acyclovir 200mg po BID for a minimum of 2 months or until CD4+ count is > or = to 200 cells per microliter, whichever occurs later #60 Refill: #1 Cetirizine 10mg po prior to Lemtrada infusion <span style="float: right;">Ondansetron 4mg po prn #25</span> Promethazine 25mg po prn #25 <span style="float: right;">Famotidine 20mg prior to start of alemtuzumab infusion</span> Acetaminophen 1000mg po prior to start of Lemtrada infusion and q6h prn <span style="float: right;">Other: _____</span> <b>Note – If needed, please send pain prescription to retail pharmacy</b> <input type="checkbox"/> <b>Pre Infusion:</b> Solu-Medrol 1000mg IV infusion in 500mL of 0.9% NaCl over 1 hour prior to Lemtrada infusion on days 1, 2 and 3 only Normal saline 0.9% 500ml IV prior to Lemtrada infusion on days 4 and 5 <input type="checkbox"/> <b>Initial Course:</b> 12mg/day IV infusion via <input type="checkbox"/> pump ---OR--- <input type="checkbox"/> gravity over 4 hours for 5 consecutive days <input type="checkbox"/> <b>Subsequent Course:</b> 12mg/day IV infusion via <input type="checkbox"/> pump ---OR--- <input type="checkbox"/> gravity over 4 hours for 3 consecutive days *To start at least 12 months after previous dose* <input type="checkbox"/> <b>Post Meds:</b> Normal saline 0.9% 500mL IV infusion over 1 hour post Lemtrada infusion	_____
<input type="checkbox"/> ANAPHYLAXIS / SIDE EFFECT ORDERS	<input type="checkbox"/> Ondansetron 4-8mg in 50-100mL 0.9% NaCl IV infusion over 15 minutes prn nausea <input type="checkbox"/> Epinephrine 1:1000 0.5-1mL IVP prn angioedema/hypotension/bronchospasm/generalized urticaria <input type="checkbox"/> Ketorolac: 30mg IVP over 3-5 minute <input type="checkbox"/> Diphenhydramine 50mg in 100mL of 0.9% NaCl IV over approx 15 mins prn pruitis/rash	_____
<input type="checkbox"/> OTHER		_____

**By signing this form and utilizing our services, you are authorizing Amerita, Inc. to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.**

Prescriber's Signature	Print Name	Date	Prescriber's Signature	Print Name	Date
Dispense as Written			Substitution Permitted		

