Leqembi Referral Form





Fax Completed Form To:

Phone:

PATIENT INFORMATION							
Patient Name:	Date of Birth:			Referral Date:			
Address:				City/State/Zip:			
Home Phone:		Cell Phone:			Work Phone:		
Secondary Contact:		Height:	Weight:		☐ Male ☐ Female		
Patient Diagnosis & ICD	I-10:						
Allergies:							
		1	DER INFORMATIOI	1			
Physician Name:	Lic.#:			DEA#:			
Practice Name:				NPI#:			
Address: Office Contact:	Phone:			City/State/Zip:			
Supervisory Physician (if applicable):							
PLEASE ATTACH							
☐ Patient demograph	☐ Imaging to confirm presence of amyloid beta pathology via MRI or PET scan						
□ Recent office visit notes, history & physical, lab & pertinent procedure results □ APOE ε4 Carrier Status							
☐ Current medication	□ Documentation of mild cognitive impairment						
☐ Line access docume	Line access documentation/verification if applicable Letter			Letter of medical necessity if drug dosing or indication is outside of FDA guidelines			
☐ Baseline and most recent MRI results (within the past year)							
NURSING & LAB ORDERS							
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders. Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Other Lab Orders: Lab Date & Frequency:							
PRESCRIPTION ORDERS							
Anaphylaxis Kit:							
Pre-Medications: Per prescribing information: Pre-medications of antihistamine, corticosteroid and analgesic is recommended							
(Check all that apply) Acetaminophenmg POminutes prior to infusion Solu-Medrolmg IV infusionminutes prior to infusion							
□ Diphenhydraminemg □ POOR □ IV infusionminutes prior to infusion □ Other							
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary							
PRODUCT		PRESCR	IPTION INFORMA	TION		REFILLS	
Is this a first dose?							
□ Leqembi	□ 10mg/kg IV in 250mL 0.9% Normal Saline □ gravity OR □ pump through a low-protein binding 0.2 micron in-line filter over 1 hour once every 2 weeks						
	Note: Obtain MRI prior to 5 th , 7 th and 14 th infusion. MRI results must be cleared by MD in order to proceed to next infusion.						
□ OTHER							
By signing this form and utilizing our services, you are authorizing Amerita to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.							
Prescriber's Signature	Print Name	Date	Prescriber's Signa	ature	Print Name	Date	
Dispense as Written	i init Hallic	Dute	Substitution Per		i ilit nume	Duit	



