Krystexxa® Order Form



Fax Completed Form To:

Phone:

PATIENT INFORMATION								
Patient Name:	Date of Birth:		Referral Date:		eferral Date:			
Address:		City/State/Zip:						
Home Phone:		ll Phone:			ork Phone:			
Secondary Contact:		ight: Weig	ght:] Male 🛛 Female			
Patient Diagnosis & ICD-10:								
Allergies:								
PROVIDER INFORMATION								
Physician Name:	Lic.	.#:		EA #:				
Practice Name:		NPI#: City/State/Zip:						
Address: Office Contact:	Dhe	one:	u	Fa	v•			
	· · · · · · · · · · · · · · · · · · ·	uic.		10.	Α.			
Supervisory Physician (if applicable): PLEASE ATTACH								
□ Patient demographics & front/back copy of all insurance cards (prescription & medical)								
Recent office visit notes, history & physical, lab & pertinent procedure results mycophenolate, leflunomide, azathioprine, or cyclosporine (Evidence supports the combination of Krystexxa and an immunomodulator in improving the patient's response								
					n immunomodulator if clinically appropriate.)			
G6PD deficiency results			□ Baseline serum Uric Acid lab results					
			□ Letter of medical necessity if drug dosing or indication is outside of FDA guidelines					
NURSING & LAB ORDERS								
Nurse Orders: Nurse to	o provide assessment, teaching, lab draws, medicati	ion administration and vascul	lar access device insertion	n and/or manag	jement per physician orders.			
Flush Orders: NaCl 0.9	% - 5-10mL flush pre and post infusion and as need	ded <i>Heparin</i> - 🗖 10units/m	nL 0R □100units/	/mL - 3-5mL flu	ish after post-infusion NS flush if indic	cated to maintain line		
Lab Orders:								
Lab Date & Frequency:								
PRESCRIPTION ORDERS								
Anaphylaxis Kit: 🛛 Epinephrine 0.3mg IM as needed Solu-cortef 250mg-500mg IV infusion as needed Solu-Medrol 60mg - 125mg IV infusion as needed								
(Check all that apply) Diphenhydramine mg IV infusion as needed NS Hydration 500 ml IV infusion over 30 minutes as needed 0 Other								
Pre-Medications: Per prescribing information: Pre-medications of antihistamine, corticosteroid and analgesic is recommended								
(Check all that apply) 🛛 Acetaminophenmg POminutes prior to infusion 🔲 Solu-Medrolmg IV infusionminutes prior to infusion								
Diphenhydramine mg PO OR IV infusion minutes prior to infusion I Other								
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary								
PRODUCT		PRESCRIPTION I	NFORMATION			REFILLS		
	Yes Do If No, when was last dose given?		is patient due for next do					
	□ 8mg IV infusion via □ gravity OR □		•					
After first infusion, patient to have sUA level performed within 48 hours prior to each infusion.								
🗆 Krystexxa	For KVO: NS 100mL via IV infusion over 1 hour.							
	If sUA is \leq 6mg/dL, proceed .							
	If sUA is > 6mg/dL, hold & contact provide	er.						
□ OTHER								
	By signing this form and ut	tilizing our services, you are	authorizing Amerita to	assist with pric	or authorization			
requests acting as your pharmacy provider in dealing with medical and prescription insurance companies.								

Prescriber's Signature Dispense as Written	Print Name	Date	Prescriber's Signature Substitution Permitted	Print Name	Date	
©2025 Amerita Inc. All rights reserved.			neritaiv.com	(urac)	ACHC ACCREDITED	
AME IVY Krystexxa Referral Form 6.25	ти	IC FORM IC NOT VALUE	NEAD LICE IN THE CTATE OF A DIZON	ACCREDITED Specially Pharmacy	ACHC	

