

DALVANCE® Referral Form

Fax Completed Form To:

Phone:



PATIENT INFORMATION		
Patient Name:	Date of Birth:	Referral Date:
Address:	City/State/Zip:	
Home Phone:	Cell Phone:	Work Phone:
Secondary Contact:	Height: Weight:	☐ Male ☐ Female
Patient Diagnosis & ICD-10:		
Allergies:		
PROVIDER INFORMATION		
Physician Name:	Lic.#:	DEA #:
Practice Name:		NPI#:
Address:		City/State/Zip:
Office Contact:	Phone:	Fax:
Supervisory Physician (if applicable):		
PLEASE ATTACH		
☐ Patient demographics & front/back copy of all insurance cards (prescription & medical)	☐ Estimated creatinine clearance	
☐ Recent office visit notes, history & physical, lab & pertinent procedure results	☐ Culture & sensitivity results	
☐ Current medication list & list of prior medications tried and failed (with dates)	☐ Letter of medical necessity if drug dosing or indication is outside of FDA guidelines	
☐ Line access documentation/verification if applicable		
NURSING & LAB ORDERS		
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders.		
Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - ☐ 10units/mL ---OR--- ☐ 100units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line		
Lab Orders: Lab Date & Frequency:		
PRESCRIPTION ORDERS		
Anaphylaxis Kit: ☐ Epinephrine 0.3mg IM as needed ☐ Solu-Cortef 250mg-500mg IV infusion as needed ☐ Solu-Medrol 60mg - 125mg IV infusion as needed		
(Check all that apply) ☐ Diphenhydramine _____mg IV infusion as needed ☐ NS Hydration 500 ml IV infusion over 30 minutes as needed ☐ Other		
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary		
PRODUCT	PRESCRIPTION INFORMATION	REFILLS
Is this a first dose? ☐ Yes ☐ No If No, when was last dose given? _____ When is patient due for next dose? _____		
☐ DALVANCE (to be mixed in D5W)	Adult Dosing: Estimated Creatinine Clearance 30mL/min and above or on regular hemodialysis: ☐ 1500mg single dose regimen or ☐ 1000mg followed by one week later 500mg two dose regimen IV infusion via ☐ gravity ---OR--- ☐ pump over 30 minutes Less than 30mL/min and not on regular hemodialysis: ☐ 1125mg single dose regimen or ☐ 750mg followed by one week later 375mg two dose regimen IV infusion via ☐ gravity ---OR--- ☐ pump over 30 minutes Child Dosing: ☐ Birth to < 6 years: 22.5 mg/kg as a single infusion. ☐ 6 to < 18 years: 18 mg/kg as a single infusion. ☐ Maximum Dose: 1500 mg per dose.	_____
☐ OTHER		_____
By signing this form and utilizing our services, you are authorizing Amerita to assist with prior authorization requests acting as your pharmacy provider in dealing with medical and prescription insurance companies.		

Prescriber's Signature
Dispense as Written

Print Name _____

Date _____

Prescriber's Signature
Substitution Permitted

Print Name _____

Date _____