

Dermatology Referral Form

Fax Completed Form To:

Phone:

PATIENT INFORMATION		
Patient Name:	Date of Birth:	Referral Date:
Address:		City/State/Zip:
Home Phone:	Cell Phone:	Work Phone:
Secondary Contact:	Height: Weight:	☐ Male ☐ Female
Patient Diagnosis & ICD-10:		
Allergies:		
PROVIDER INFORMATION		
Physician Name:	Lic.#:	DEA #:
Practice Name:	NPI#:	
Address:		City/State/Zip:
Office Contact:	Phone:	Fax:
Supervisory Physician (if applicable):		
PLEASE ATTACH		
☐ Patient demographics & front/back copy of all insurance cards (prescription & medical) ☐ Recent office visit notes, history & physical, lab & pertinent procedure results ☐ Current medication list & list of prior medications tried and failed (with dates) ☐ TB lab results within last 12 months (<i>Stelara, Simponi Aria, Ilumya & Infliximabs only</i>) ☐ HBV lab results within last 12 months (<i>Infliximabs & Simponi Aria only</i>) ☐ Letter of medical necessity if drug dosing or indication is outside of FDA guidelines		
NURSING & LAB ORDERS		
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders. Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - ☐ 10units/mL ---OR--- ☐ 100units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line Lab Orders: Lab Date & Frequency:		
PRESCRIPTION ORDERS		
Anaphylaxis Kit: (Check all that apply)	☐ Epinephrine 0.3mg IM as needed ☐ Diphenhydramine _____mg IV as needed	☐ Solu-cortef 250mg-500mg IV as needed ☐ NS Hydration 500 ml IV over 30 minutes as needed ☐ Solu-Medrol 60mg - 125mg IV as needed ☐ Other
Pre-Medications: (Check all that apply)	☐ Acetaminophen _____mg PO _____minutes prior to infusion ☐ Solu-Medrol _____mg IV _____minutes prior to infusion ☐ Diphenhydramine _____mg ☐ PO ---OR--- ☐ IV infusion _____minutes prior to infusion ☐ Other	
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary		
PRODUCT	PRESCRIPTION INFORMATION	REFILLS
Is this a first dose? ☐ Yes ☐ No If No, when was last dose given? _____ When is patient due for next dose? _____		
☐ ILUMYA	100mg SC injection at 0 and 4 weeks then every 12 weeks	_____
☐ INFlixIMAB ☐ AVSOLA ☐ INFLECTRA ☐ REMICADE ☐ RENFLEXIS	☐ Induction: _____mg/kg or _____mg IV infusion via ☐ gravity ---OR--- ☐ pump over at least 2 hours at weeks 0, 2, and 6 ☐ Maintenance: _____mg/kg _____mg IV infusion via ☐ gravity ---OR--- ☐ pump over at least 2 hours every _____ weeks (Note: Round to nearest 100mg for Medicaid patients)	NONE _____
☐ SIMPONI ARIA	2 mg/kg IV infusion via ☐ gravity ---OR--- ☐ pump over 30 minutes at weeks 0 and 4, and every 8 weeks thereafter 1. Initiation following IV treatment of active flare: 300mg SC starting 4 weeks after last IV dose then every 4 weeks 2. Initiation of therapy in patients w/o an active flare: 600mg SC as a loading dose at week 0, followed by 300mg SC at week 4 then every 4 weeks	_____
☐ SPEVIGO	☐ 900 mg IV infusion over 90 minutes ☐ Additional 900 mg IV infusion over 90 minutes one week after initial dose if flare symptoms persist	_____
☐ XOLAIR	☐ 150 or ☐ 300 mg SC injection once every 4 weeks	_____
☐ IG	For Immunoglobulin therapy please refer to Immunoglobulin Form	
☐ OTHER	_____	
By signing this form and utilizing our services, you are authorizing Amerita to assist with prior authorization requests acting as your pharmacy provider in dealing with medical and prescription insurance companies.		

Prescriber's Signature
Dispense as Written

Print Name

Date

Prescriber's Signature
Substitution Permitted

Print Name

Date

