

DALVANCE® Order Form

Fax Completed Form To:

Phone:

PATIENT INFORMATION			
Patient Name:		Date of Birth:	
Address:		Referral Date:	
Home Phone:		City/State/Zip:	
Cell Phone:		Work Phone:	
Secondary Contact:		Height: Weight: ☐ Male ☐ Female	
Patient Diagnosis & ICD-10:			
Allergies:			
PROVIDER INFORMATION			
Physician Name:		Lic.#:	
Practice Name:		DEA #:	
Address:		NPI#:	
Office Contact:		City/State/Zip:	
Phone:		Fax:	
Supervisory Physician (if applicable):			
PLEASE ATTACH			
☐ Patient demographics & front/back copy of all insurance cards (prescription & medical) ☐ Recent office visit notes, history & physical, lab & pertinent procedure results ☐ Current medication list & list of prior medications tried and failed (with dates) ☐ Line access documentation/verification if applicable		☐ Estimated creatinine clearance ☐ Culture & sensitivity results ☐ Letter of medical necessity if drug dosing or indication is outside of FDA guidelines	
NURSING & LAB ORDERS			
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders. Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - ☐ 10units/mL ---OR--- ☐ 100units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line Lab Orders: Lab Date & Frequency:			
PRESCRIPTION ORDERS			
Anaphylaxis Kit: ☐ Epinephrine 0.3mg IM as needed ☐ Solu-Cortef 250mg-500mg IV infusion as needed ☐ Solu-Medrol 60mg - 125mg IV infusion as needed (Check all that apply) ☐ Diphenhydramine _____ mg IV infusion as needed ☐ NS Hydration 500 ml IV infusion over 30 minutes as needed ☐ Other			
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary			
PRODUCT	PRESCRIPTION INFORMATION		REFILLS
Is this a first dose? ☐ Yes ☐ No If No, when was last dose given? _____ When is patient due for next dose? _____			
☐ DALVANCE <i>(to be mixed in DSW)</i>	Adult Dosing: Estimated Creatinine Clearance 30mL/min and above or on regular hemodialysis: ☐ 1500mg single dose regimen or ☐ 1000mg followed by one week later 500mg two dose regimen IV infusion via ☐ gravity ---OR--- ☐ pump over 30 minutes Less than 30mL/min and not on regular hemodialysis: ☐ 1125mg single dose regimen or ☐ 750mg followed by one week later 375mg two dose regimen IV infusion via ☐ gravity ---OR--- ☐ pump over 30 minutes Child Dosing: ☐ Birth to < 6 years: 22.5 mg/kg as a single infusion. ☐ 6 to < 18 years: 18 mg/kg as a single infusion. ☐ Maximum Dose: 1500 mg per dose.		_____
☐ OTHER			_____

Prescriber's Signature
Dispense as Written

Print Name

Date

Prescriber's Signature
Substitution Permitted

Print Name

Date